

1. Vonk JJ, Yeshaw WM, Pinto F, Faber AI, Lahaye LL, Kanon B, van der Zwaag M, Velayos-Baeza A, Freire R, **van IJzendoorn SC**, Grzeschik NA, Sibon OC Drosophila Vps13 Is Required for Protein Homeostasis in the Brain. **PLoS One** 2017 Jan 20;12(1):e0170106.. [Pdf](#).
2. Leon J. Klunder, Klaas Nico Faber, Gerard Dijkstra, and Sven C.D. van Ijzendoorn Mechanisms of Cell Polarity–Controlled Epithelial Homeostasis and Immunity in the Intestine **Cold Spring Harbor Perspectives in Biology** 2017 doi: 10.1101/csfperspect.a027888. [Pdf](#).
3. Herschel S. Dhekne; Olena Pylypenko, Arend W. Overeem, Rosaria J. Ferreira, K. Joeri van der Velde, Edmond H.H.M. Rings, Carsten Posovszky, Morris A. Swertz, Anne Houdusse, **Sven C. D. van Ijzendoorn**. MYO5B, STX3 and STXBP2 mutations reveal a common disease mechanism that unifies a subset of congenital diarrheal disorders: A mutation update **Human Mutation** 2017 DOI: 10.1002/humu.23386. [Pdf](#).
4. Dhekne HS, Pylypenko O, Overeem AW, Ferreira RJ, van der Velde KJ, Rings EHHM, Posovszky C, Swertz MA, Houdusse A, **van IJzendoorn SCD** MYO5B, STX3 and STXBP2 mutations reveal a common disease mechanism that unifies a subset of congenital diarrheal disorders: A mutation update. **Human Mutation** 2017 Dec 21. doi: 10.1002/humu.23386. [Epub ahead of print]. [Pdf](#).
5. Overeem AW, Posovszky C, Rings EH, Giepmans BN, **van IJzendoorn SC**. The role of enterocyte defects in the pathogenesis of congenital diarrheal disorders. **Disease models & mechanisms** 2016 Jan;9(1):1-12.. [Pdf](#).
6. Kravtsov DV, Ahsan MK, Kumari V, **van IJzendoorn SC**, Reyes-Mugica M, Kumar A, Gujral T, Dudeja PK, Ameen NA. Identification of intestinal ion transport defects in microvillus inclusion disease. **American journal of physiology. Gastrointestinal and liver physiology** 2016 Jul 1;311(1):G142-G155.. [Pdf](#).
7. Overeem AW, Bryant DM, **van IJzendoorn SC**. Mechanisms of apical-basal axis orientation and epithelial lumen positioning. **Trends in Cell Biology** 2015 Aug;25(8):476-85. Review.. [Pdf](#).
8. Cartón-García F, Overeem AW, Nieto R, Bazzocco S, Dopeso H, Macaya I, Bilic J, Landolfi S, Hernandez-Losa J, Schwartz S Jr, Ramon y Cajal S, **van IJzendoorn SC**, Arango D. Myo5b knockout mice as a model of microvillus inclusion disease. **Scientific Reports** 2015 Jul 23;5:12312.. [Pdf](#).
9. Fletcher NF, Humphreys E, Jennings E, Osburn W, Lissauer S, Wilson GK, **van IJzendoorn SC**, Baumert TF, Balfe P, Afford S, McKeating JA. Hepatitis C virus infection of cholangiocarcinoma cell lines. **Journal of General Virology** 2015 Jun;96(Pt 6):1380-8. Review.. [Pdf](#).
10. Dhekne HS, Hsiao NH, Roelofs P, KuMari M, Slim CL, Rings EH, **van IJzendoorn SC**. Myosin Vb and Rab11a regulate phosphorylation of ezrin in enterocytes. **Journal of Cell Science** 2014 Mar 1;127(Pt 5):1007-17.. [Pdf](#).
11. Polishchuk EV, Concilli M, Iacobacci S, Chesi G, Pastore N, Piccolo P, Paladino S, Baldantoni D, **van IJzendoorn SC**, Chan J, Chang CJ, Amoresano A, Pane F, Pucci P, Tarallo A, Parenti G, Brunetti-Pierri N, Settembre C, Ballabio A, Polishchuk RS. Wilson disease protein ATP7B utilizes lysosomal exocytosis to maintain copper homeostasis. **Developmental Cell** 2014 Jun 23;29(6):686-700.. [Pdf](#).
12. Slim CL, **van IJzendoorn SC**, Lázaro-Diégo F, Müsch A. The special case of hepatocytes: unique tissue architecture calls for a distinct mode of cell division. **Bioarchitecture** 2014 Mar-Apr;4(2):47-52.. [Pdf](#).

13. van der Werf CS, Hsiao NH, Conroy S, Paredes J, Ribeiro AS, Sribudiani Y, Seruca R, Hofstra RM, Westers H, **van IJzendoorn SC**. CLMP is essential for intestinal development, but does not play a key role in cellular processes involved in intestinal epithelial development. **PLoS One** 2013 8(2):e54649.. [Pdf](#).
14. Elamin E, Masclee A, Juuti-Uusitalo K, **van IJzendoorn S**, Troost F, Pieters HJ, Dekker J, Jonkers D. Fatty acid ethyl esters induce intestinal epithelial barrier dysfunction via a reactive oxygen species-dependent mechanism in a three-dimensional cell culture model. **PLoS One** 2013 8(3):e58561.. [Pdf](#).
15. Slim CL, Lázaro-Diéguéz F, Bijlard M, Toussaint MJ, de Bruin A, Du Q, Müsch A, **van IJzendoorn SC**. Par1b induces asymmetric inheritance of plasma membrane domains via LGN-dependent mitotic spindle orientation in proliferating hepatocytes. **PLOS Biology** 2013 Dec;11(12):e1001739. Erratum in: PLoS Biol. 2014 Jan;12(1).. [Pdf](#).
16. Lázaro-Diéguéz F, Cohen D, Fernandez D, Hodgson L, **van IJzendoorn SC**, Müsch A. Par1b links lumen polarity with LGN-NuMA positioning for distinct epithelial cell division phenotypes. **Journal of Cell Biology** 2013 Oct 28;203(2):251-64.. [Pdf](#).
17. van der Velde KJ, Dhekne HS, Swertz MA, Sirigu S, Ropars V, Vinke PC, Rengaw T, van den Akker PC, Rings EH, Houdusse A, **van IJzendoorn SC**. An overview and online registry of microvillus inclusion disease patients and their MYO5B mutations. **Human Mutation** 2013 Dec;34(12):1597-605. Review.. [Pdf](#).
18. Harris HJ, Clerte C, Farquhar MJ, Goodall M, Hu K, Rassam P, Dosset P, Wilson GK, Balfe P, **IJzendoorn SC**, Milhiet PE, McKeating JA. Hepatoma polarization limits CD81 and hepatitis C virus dynamics. **Cellular Microbiology** 2013 Mar;15(3):430-45.. [Pdf](#).
19. Rossi O, Karczewski J, Stolte EH, Brummer RJ, van Nieuwenhoven MA, Meijerink M, van Neerven JR, **van IJzendoorn SC**, van Baarlen P, Wells JM. Vectorial secretion of interleukin-8 mediates autocrine signalling in intestinal epithelial cells via apically located CXCR1. **BMC Research Notes** 2013 Oct 28;6:431.. [Pdf](#).
20. Elamin E, Jonkers D, Juuti-Uusitalo K, **van IJzendoorn S**, Troost F, Duimel H, Broers J, Verheyen F, Dekker J, Masclee A. Effects of ethanol and acetaldehyde on tight junction integrity: in vitro study in a three dimensional intestinal epithelial cell culture model. **PLoS One** 2012 7(4):e35008.. [Pdf](#).
21. Golachowska MR, van Dael CM, Keuning H, Karrenbeld A, Hoekstra D, Gijsbers CF, Benninga MA, Rings EH, **van IJzendoorn SC**. MYO5B mutations in patients with microvillus inclusion disease presenting with transient renal Fanconi syndrome. **Journal of Pediatric Gastroenterology and Nutrition** 2012 Apr;54(4):491-8.. [Pdf](#).
22. Moidunny S, Vinet J, Wesseling E, Bijzet J, Shieh CH, **van IJzendoorn SC**, Bezzi P, Boddeke HW, Biber K. Adenosine A2B receptor-mediated leukemia inhibitory factor release from astrocytes protects cortical neurons against excitotoxicity. **Journal of Neuroinflammation** 2012 Aug 16;9:198.. [Pdf](#).
23. Van Der Werf CS, Wabbersen TD, Hsiao NH, Paredes J, Etchevers HC, Kroisel PM, Tibboel D, Babarit C, Schreiber RA, Hoffenberg EJ, Vekemans M, Zeder SL, Ceccherini I, Lyonnet S, Ribeiro AS, Seruca R, Te Meerman GJ, **van IJzendoorn SC**, Shepherd IT, Verheij JB CLMP is required for intestinal development, and loss-of-function mutations cause congenital short-bowel syndrome. **Gastroenterology** 2012 Mar;142(3):453-462.e3.. [Pdf](#).
24. Juuti-Uusitalo K, Klunder LJ, Sjollema KA, Mackovicova K, Ohgaki R, Hoekstra D, Dekker J, **van IJzendoorn SC**. Differential effects of TNF (TNFSF2) and IFN- $\gamma$  on intestinal epithelial cell

- morphogenesis and barrier function in three-dimensional culture. **PLoS One** 2011 6(8):e22967.. [Pdf.](#)
25. Szperl AM, Golachowska MR, Bruinenberg M, Prekeris R, Thunnissen AM, Karrenbeld A, Dijkstra G, Hoekstra D, Mercer D, Ksiazek J, Wijmenga C, Wapenaar MC, Rings EH, **van IJzendoorn SC**. Functional characterization of mutations in the myosin Vb gene associated with microvillus inclusion disease. **Journal of Pediatric Gastroenterology and Nutrition** 2011 Mar;52(3):307-13.. [Pdf.](#)
26. Ohgaki R, **van IJzendoorn SC**, Matsushita M, Hoekstra D, Kanazawa H. Organellar Na<sup>+</sup>/H<sup>+</sup> exchangers: novel players in organelle pH regulation and their emerging functions. **Biochemistry** 2011 Feb 1;50(4):443-50. Review.. [Pdf.](#)
27. Golachowska MR, Hoekstra D, **van IJzendoorn SC**. Recycling endosomes in apical plasma membrane domain formation and epithelial cell polarity. **Trends in Cell Biology** 2010 Oct;20(10):618-26. Review.. [Pdf.](#)
28. Ohgaki R, Matsushita M, Kanazawa H, Ogihara S, Hoekstra D, **van IJzendoorn SC**. The Na<sup>+</sup>/H<sup>+</sup> exchanger NHE6 in the endosomal recycling system is involved in the development of apical bile canalicular surface domains in HepG2 cells. **Molecular Biology of the Cell** 2010 Apr 1;21(7):1293-304... [Pdf.](#)
29. Woudenberg J, Rembacz KP, Hoekstra M, Pellicoro A, van den Heuvel FA, Heegsma J, **van IJzendoorn SC**, Holzinger A, Imanaka T, Moshage H, Faber KN. Lipid rafts are essential for peroxisome biogenesis in HepG2 cells. **Hepatology** 2010 Aug;52(2):623-33.. [Pdf.](#)
30. Mee CJ, Harris HJ, Farquhar MJ, Wilson G, Reynolds G, Davis C, **van IJzendoorn SC**, Balfe P, McKeating JA. Polarization restricts hepatitis C virus entry into HepG2 hepatoma cells. **Journal of Virology** 2009 Jun;83(12):6211-21.. [Pdf.](#)
31. Wojtal KA, Diskar M, Herberg FW, Hoekstra D, **van IJzendoorn SC**. Regulatory subunit I-controlled protein kinase A activity is required for apical bile canalicular lumen development in hepatocytes. **Journal of Biological Chemistry** 2009 Jul 31;284(31):20773-80.. [Pdf.](#)
32. Giepmans BN, **van IJzendoorn SC**. Epithelial cell-cell junctions and plasma membrane domains. **Biochimica et Biophysica Acta (BBA)** 2009 Apr;1788(4):820-31. Review.. [Pdf.](#)
33. Théard D, Raspe MA, Kalicharan D, Hoekstra D, **van IJzendoorn SC**. Formation of E-cadherin/beta-catenin-based adherens junctions in hepatocytes requires serine-10 in p27(Kip1). **Molecular Biology of the Cell** 2008 Apr;19(4):1605-13.. [Pdf.](#)
34. Farquhar MJ, Harris HJ, Diskar M, Jones S, Mee CJ, Nielsen SU, Brimacombe CL, Molina S, Toms GL, Maurel P, Howl J, Herberg FW, **van IJzendoorn SC**, Balfe P, McKeating JA. Protein kinase A-dependent step(s) in hepatitis C virus entry and infectivity. **Journal of Virology** 2008 Sep;82(17):8797-811.. [Pdf.](#)
35. Ito K, Hoekstra D, **van IJzendoorn SC**. Cholesterol but not association with detergent resistant membranes is necessary for the transport function of MRP2/ABCC2. **FEBS Letters** 2008 Dec 24;582(30):4153-7.. [Pdf.](#)
36. Wojtal KA, Hoekstra D, **van IJzendoorn SC**. cAMP-dependent protein kinase A and the dynamics of epithelial cell surface domains: moving membranes to keep in shape. **Bioessays** 2008 Feb;30(2):146-55. Review.. [Pdf.](#)
37. Wojtal KA, de Vries E, Hoekstra D, **van IJzendoorn SC**. Efficient trafficking of MDR1/P-glycoprotein to apical canalicular plasma membranes in HepG2 cells requires PKA-RIIalpha anchoring and glucosylceramide. **Molecular Biology of the Cell** 2007 Aug;17(8):3638-50.. [Pdf.](#)

38. Wojtal KA, Hoekstra D, **van IJzendoorn SC**. Anchoring of protein kinase A-regulatory subunit IIalpha to subapically positioned centrosomes mediates apical bile canalicular lumen development in response to oncostatin M but not cAMP. **Molecular Biology of the Cell** 2007 Jul;18(7):2745-54.. [Pdf.](#)
39. Théard D, Steiner M, Kalicharan D, Hoekstra D, **van IJzendoorn SC**. Cell polarity development and protein trafficking in hepatocytes lacking E-cadherin/beta-catenin-based adherens junctions. **Molecular Biology of the Cell** 2007 Jun;18(6):2313-21.. [Pdf.](#)
40. Herrema H, Czajkowska D, Théard D, van der Wouden JM, Kalicharan D, Zolghadr B, Hoekstra D, **van IJzendoorn SC**. Rho kinase, myosin-II, and p42/44 MAPK control extracellular matrix-mediated apical bile canalicular lumen morphogenesis in HepG2 cells. **Molecular Biology of the Cell** 2006 Jul;17(7):3291-303.. [Pdf.](#)
41. **van IJzendoorn SC**. Recycling endosomes. **Journal of Cell Science** 2006 May 1;119(Pt 9):1679-81. Review. No abstract available.. [Pdf.](#)
42. Tyteca D, **van IJzendoorn SC**, Hoekstra D. Calmodulin modulates hepatic membrane polarity by protein kinase C-sensitive steps in the basolateral endocytic pathway. **Experimental Cell Research**. 2005 Nov 1;310(2):293-302.. [Pdf.](#)
43. **Van IJzendoorn SC**, Théard D, Van Der Wouden JM, Visser W, Wojtal KA, Hoekstra D. Oncostatin M-stimulated apical plasma membrane biogenesis requires p27(Kip1)-regulated cell cycle dynamics. **Molecular Biology of the Cell** 2004 Sep;15(9):4105-14.. [Pdf.](#)
44. **Van IJzendoorn SC**, Van Der Wouden JM, Liebisch G, Schmitz G, Hoekstra D. Polarized membrane traffic and cell polarity development is dependent on dihydroceramide synthase-regulated sphinganine turnover. **Molecular Biology of the Cell** 2004 Sep;15(9):4115-24.. [Pdf.](#)
45. Hoekstra D, Tyteca D, **van IJzendoorn SC**. The subapical compartment: a traffic center in membrane polarity development. **Journal of Cell Science** 2004 May 1;117(Pt 11):2183-92. Review.. [Pdf.](#)
46. Gabel BR, Elwell C, **van IJzendoorn SC**, Engel JN. Lipid raft-mediated entry is not required for Chlamydia trachomatis infection of cultured epithelial cells. **Infection and Immunity** 2004 Dec;72(12):7367-73.. [Pdf.](#)
47. Slimane TA, Trugnan G, **Van IJzendoorn SC**, Hoekstra D. Raft-mediated trafficking of apical resident proteins occurs in both direct and transcytotic pathways in polarized hepatic cells: role of distinct lipid microdomains. **Molecular Biology of the Cell** 2003 Feb;14(2):611-24.. [Pdf.](#)
48. Hoekstra D, Maier O, van der Wouden JM, Slimane TA, **van IJzendoorn SC**. Membrane dynamics and cell polarity: the role of sphingolipids. **Journal of Lipid Research** 2003 May;44(5):869-77. Review.. [Pdf.](#)
49. van der Wouden JM, Maier O, **van IJzendoorn SC**, Hoekstra D. Membrane dynamics and the regulation of epithelial cell polarity. **International Review of Cytology** 2003 226:127-64. Review.. [Pdf.](#)
50. **van IJzendoorn SC**, Mostov KE, Hoekstra D. Role of rab proteins in epithelial membrane traffic. **International Review of Cytology** 2003 232:59-88. Review.. [Pdf.](#)
51. **van IJzendoorn SCD**, Mostov KE, Hoekstra D. Role of rab proteins in epithelial membrane traffic. **International review of Cytology – A survey of Cell Biology** 2003 232, 59-88. San Diego: Academic Press.. [Pdf.](#)

52. Veldman RJJ, Pecheur EL, **van IJzendoorn S**, Kok JW, Hoekstra D. Cell lipids: from isolation to functional dynamics. **Essential cell biology: Cell Structure** 2003 1, 317-347. Oxford University Press.. [Pdf.](#)
53. Hoekstra D, **van IJzendoorn SC**. In search of lipid translocases and their biological functions. **Developmental Cell** 2003 Jan;4(1):8-9.. [Pdf.](#)
54. van der Wouden JM, **van IJzendoorn SC**, Hoekstra D. Oncostatin M regulates membrane traffic and stimulates bile canalicular membrane biogenesis in HepG2 cells. **EMBO Journal** 2002 Dec 2;21(23):6409-18.. [Pdf.](#)
55. **van IJzendoorn SC**, Tuvim MJ, Weimbs T, Dickey BF, Mostov KE. Direct interaction between Rab3b and the polymeric immunoglobulin receptor controls ligand-stimulated transcytosis in epithelial cells. **Developmental Cell** 2002 Feb;2(2):219-28.. [Pdf.](#)
56. **van IJzendoorn SC**, Hoekstra D. Polarized sphingolipid transport from the subapical compartment changes during cell polarity development. **Molecular Biology of the Cell** 2000 Mar;11(3):1093-101.. [Pdf.](#)
57. **Van IJzendoorn SC**, Maier O, Van Der Wouden JM, Hoekstra D. The subapical compartment and its role in intracellular trafficking and cell polarity. **Journal of Cellular Physiology** 2000 Aug;184(2):151-60. Review.. [Pdf.](#)
58. **van IJzendoorn SC**, Mostov KE. Connecting apical endocytosis to the intracellular traffic infrastructure in polarized hepatocytes. **Gastroenterology** 2000 Dec;119(6):1791-4. Review. No abstract available.. [Pdf.](#)
59. Hoekstra D, **van IJzendoorn SC**. Lipid trafficking and sorting: how cholesterol is filling gaps. **Current Opinion in Cell Biology** 2000 Aug;12(4):496-502. Review.. [Pdf.](#)
60. **van IJzendoorn SC**, Hoekstra D. The subapical compartment: a novel sorting centre? **Trends in Cell Biology** 1999 Apr;9(4):144-9.. [Pdf.](#)
61. **van IJzendoorn SC**, Hoekstra D. Polarized sphingolipid transport from the subapical compartment: evidence for distinct sphingolipid domains. **Molecular Biology of the Cell** 1999 Oct;10(10):3449-61.. [Pdf.](#)
62. Hoekstra D, Zegers MM, **van IJzendoorn SC**. Membrane flow, lipid sorting and cell polarity in HepG2 cells: role of a subapical compartment. **Biochemical Society Transactions** 1999 Aug;27(4):422-8. Review. No abstract available.. [Pdf.](#)
63. Zegers MM, Zaal KJ, **van IJzendoorn SC**, Klappe K, Hoekstra D. Actin filaments and microtubules are involved in different membrane traffic pathways that transport sphingolipids to the apical surface of polarized HepG2 cells. **Molecular Biology of the Cell** 1998 Jul;9(7):1939-49.. [Pdf.](#)
64. **van IJzendoorn SC**, Hoekstra D. (Glyco)sphingolipids are sorted in sub-apical compartments in HepG2 cells: a role for non-Golgi-related intracellular sites in the polarized distribution of (glyco)sphingolipids. **Journal of Cell Biology** 1998 Aug 10;142(3):683-96.. [Pdf.](#)
65. Low SH, Roche PA, Anderson HA, **van IJzendoorn SC**, Zhang M, Mostov KE, Weimbs T. Targeting of SNAP-23 and SNAP-25 in polarized epithelial cells. **Journal of Biological Chemistry** 1998 Feb 6;273(6):3422-30.. [Pdf.](#)
66. **van IJzendoorn SC**, Zegers MM, Kok JW, Hoekstra D. Segregation of glucosylceramide and sphingomyelin occurs in the apical to basolateral transcytotic route in HepG2 cells. **Journal of Cell Biology** 1997 Apr 21;137(2):347-57.. [Pdf.](#)

67. van IJzendoorn SC, van Gool RG, Reutelingsperger CP, Heemskerk JW. Unstimulated platelets evoke calcium responses in human umbilical vein endothelial cells. **Biochimica et Biophysica Acta (BBA)** 1996 Mar 27;1311(1):64-70.. [Pdf.](#)